February 13, 2018, Introduced by Rep. Dianda and referred to the Committee on Transportation and Infrastructure.

A bill to amend 1949 PA 300, entitled

"Michigan vehicle code,"

4

5

6

7

8

9

HOUSE BILL No. 5555

by amending section 688 (MCL 257.688), as amended by 2012 PA 252.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

- Sec. 688. (1) In addition to other equipment required in this chapter, the following vehicles shall be equipped as provided in this section under the conditions stated in section 687:
 - (a) On every bus or truck, whatever its size, there shall be on the rear, 2 red reflectors, 1 on each side, and 1 red or amber stop light.
 - (b) On every bus or truck 80 inches or more in overall width, in addition to the requirements in subdivision (a), the following:
 - (i) On the front, 2 clearance lamps, 1 at each side.

02953'17 KED

- 1 (ii) On the rear, 2 clearance lamps, 1 at each side.
- 2 (iii) On each side, 2 side marker lamps, 1 at or near the
- 3 front and 1 at or near the rear.
- 4 (iv) On each side, 2 reflectors, 1 at or near the front and 1
- 5 at or near the rear.
- 6 (v) Three identification lamps, mounted on the vertical
- 7 centerline of the vehicle or the vertical centerline of the cab
- 8 where different from the centerline of the vehicle, except that, if
- 9 the cab is not more than 42 inches wide at the front roofline, a
- 10 single lamp at the center of the cab satisfies the requirements for
- 11 identification lamps. The identification lamps or their mounts
- 12 shall not extend below the top of the vehicle windshield.
- (c) On every truck tractor, the following:
- 14 (i) On the front, 2 clearance lamps, 1 at each side.
- 15 (ii) On the rear, 1 stop light.
- (d) On every trailer, pickup camper, or semitrailer having a
- 17 gross weight in excess of 3,000 pounds, the following:
- 18 (i) On the front, 2 clearance lamps, 1 at each side.
- 19 (ii) On each side, 2 side marker lamps, 1 at or near the front
- 20 and 1 at or near the rear.
- (iii) On each side, 2 reflectors, 1 at or near the front and 1
- 22 at or near the rear.
- (iv) On the rear, 2 clearance lamps, 1 at each side, also 2
- 24 reflectors, 1 at each side, and 1 stop light.
- 25 (e) On every poletrailer, the following:
- 26 (i) On each side, 1 side marker lamp and 1 clearance lamp
- 27 which may be in combination, to show to the front, side, or rear.

02953'17 KED

- $oldsymbol{1}$ (ii) On the rear of the poletrailer or load, 2 reflectors, 1
- 2 on each side.
- 3 (f) On every trailer, pickup camper, or semitrailer weighing
- 4 3,000 pounds gross or less, on the rear, 2 reflectors, 1 on each
- 5 side AND if any trailer or semitrailer is so loaded or is of such
- 6 dimensions as to obscure the stop light on the towing vehicle, then
- 7 such THAT vehicle shall also be equipped with 1 stop light.
- 8 (g) Subject to subsection (3), when operated on the
- 9 highway, every vehicle that has a maximum potential speed of 25
- 10 miles an PER hour, implement of husbandry, farm tractor, modified
- 11 agriculture vehicle, or special mobile equipment shall be
- 12 identified with a reflective device as follows:
- 13 (i) An equilateral triangle in shape, at least 16 inches wide
- 14 at the base and at least 14 inches in height: with a dark red
- 15 border, at least 1-3/4 inches wide of highly reflective beaded
- 16 material.
- 17 (ii) A center triangle, at least 12-1/4 inches on each side of
- 18 yellow-orange fluorescent material.
- 19 (2) The device described in subsection (1)(g) shall be mounted
- 20 on the rear of the vehicle, broad base down, not less than 3 feet
- 21 nor more than 5 feet above the ground and as near the center of the
- 22 vehicle as possible. The use of this reflective device is
- 23 restricted to use on slow moving vehicles specified in this
- 24 section, and use of such THIS reflective device on any other type
- 25 of vehicle or stationary object on the highway is prohibited. On
- 26 the rear, at each side, red reflectors or reflectorized material
- 27 visible from all distances within 500 to 50 feet to the rear when

02953'17 KED

- 1 directly in front of lawful upper beams of headlamps.
- 2 (3) AN INDIVIDUAL WHO VIOLATES SUBSECTION (2) IS RESPONSIBLE
- 3 FOR A CIVIL INFRACTION.
- 4 (4) (3)—An implement of husbandry manufactured on or after
- 5 January 1, 2007 shall comply with section 684a.
- 6 Enacting section 1. This amendatory act takes effect 90 days
- 7 after the date it is enacted into law.

02953'17 Final Page KED